



A/C Common Groove Transition Gaskets (for CI and IPS pipe)

Material Specifications


Gasket: SBR per ASTM D 2000 MBA 710, compounded for water and sewer service. Other compounds available on request.

Use: The gasket is designed to be used in cast iron fittings with an A/C common groove, or asbestos-cement couplings for adapting to C900 PVC or ductile iron pipe.

To Order: Specify catalog number.

A/C x CI TRANSITION GASKET

NOM. PIPE SIZE	CATALOG NUMBER	APPROX. WEIGHT (lbs.)	LIST PRICE
4"	4" - A/C x CI Transition Gasket	0.3 #	\$11.94
6"	6" - A/C x CI Transition Gasket	0.5 #	14.73
8"	8" - A/C x CI Transition Gasket	0.8 #	17.42
10"	10" - A/C x CI Transition Gasket	1.0 #	24.45
12"	12" - A/C x CI Transition Gasket	1.0 #	31.46



Material Specifications

Gasket: SBR per ASTM D 2000 MBA 710, compounded for water and sewer service. Other compounds available on request.

Use: The gasket is designed to be used in cast iron fittings with an A/C common groove, or asbestos-cement couplings for adapting to PVC or steel pipe (IPS dimension).

To Order: Specify catalog number.

A/C x IPS TRANSITION GASKET

NOM. PIPE SIZE	CATALOG NUMBER	APPROX. WEIGHT (lbs.)	LIST PRICE
4"	4" - A/C x IPS Transition Gasket	0.3 #	\$10.80
6"	6" - A/C x IPS Transition Gasket	0.5 #	12.71
8"	8" - A/C x IPS Transition Gasket	0.8 #	16.69

A/C x PVC Sewer Adapter Gasket available. See Page 6-9.